Certificate of Analysis

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Semax - 10mg

Tested for: Amino Repo

PASS

Scan to verify authenticity at ils-lab.com
Access Code: 5X7RFP8N

COA #:	**COA-2026-U5AOF4**	Analysis Date:	**08/11/2026**
Lot Number:	**0421199**	Appearance:	**Good**
Labeled Content:	**10mg**	Date Received:	**07/30/2026**

Method: **Purity, Identity & Quantitation (HPLC)**

Identity	Peptide Purity	
Semax	**98.75%**	**Fentanyl Free**




Semax 10mg - 0421199

Purity, Identity & Quantitation (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	**98.75%**	%	**PASS**
Net Peptide Content	Report Only	**10.57**	mg	N/A
Identity (HPLC-RTM)	Semax	**Confirmed**	-	**PASS**
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	**Not Detected**	-	**PASS**

HPLC Chromatogram



Semax 10mg - 0421199: UV Chromatogram

Notes & Methodology

1. Date Tested: 08/11/2026. Methods: Purity, Identity & Quantitation (HPLC).
2. The sample was confirmed to be Semax by HPLC. Identification by chromatographic retention time comparison with a reference standard.
3. Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.

Dr. Greg Kalyuzhny
Lab Director
8/11/2026

COA #: **COA-2026-U5AOF4**
Access Code: **5X7RFP8N**
Verify: portal.ils-lab.com
Issued: 8/11/2026

ILS Laboratories | 8222 Vickers St, Suite 106, San Diego, CA 92111 | (619) 329-3999 | ils-lab.com
ISO/IEC 17025 Accredited | This certificate relates only to the items tested. Results shall not be reproduced except in full without written approval.